


SDS 1000CNL Series



Product Overview:


The SDS1000CNL family of oscilloscopes offer a high performance-to-price ratio and give the user good multifunction features and quality. Equipped with a 7-inch LCD display, the user is able to view a larger portion of the signal under test. A 1GSa/s sampling rate allows you to examine the instantaneous signal with confidence. The efficient front panel interface ensures ease of use and interoperability. SDS1000CML series oscilloscopes include standard functions which make it easier and faster to complete work. They can analyze signals effectively, greatly improve work efficiency, and provide for ease of use when measuring complex signals.

Features and Benefits:


<ul style="list-style-type: none"> • Slim design, compact and easy to carry • Bandwidth: 70MHz, 1000MHz, 200MHz • 3 kinds of cursor modes, 32 kinds of automation measurements • 6 digits hardware frequency counter, real time counting display • 2 groups of reference waveform, 20 groups of setting, 10 groups of waveform 	<ul style="list-style-type: none"> • 1G Sa/s real time sampling rate, 50G Sa/s equivalent sampling rate • TFT-LCD 8×18 div color display • Trigger types: Edge, Pulse, Video, Slope, Alternative
<ul style="list-style-type: none"> • Standard interfaces : USB Host : support USB storage and FW upgrade ; USB Device : support remote control and PictBridge print ; RS232 and Pass/Fail. 	<ul style="list-style-type: none"> • Pop-up menu, friendly design • Independent channel control

Design Features:


8×18 div widescreen




32 types of auto measurements




Alternative-trigger




Cursor-measurement




Digital Filter




Pass/fail





FFT



Data recorder




Onekey Zoom



Multi interfaces



EasyScopeX software



Ordering Information:

MODEL	SDS1000CNL
	SDS1072CNL 70MHz 2 channel
	SDS1102CNL 100MHz 2 channel
	SDS1202CNL+ 200MHz 2 channel
Standard accessories	Warranty Card
	A USB cable
	A QuickStart Guide
	A product qualification certificate
	1 : 1/10 : 1 probe (Consistent with the number of channels you bought)
	A power cord designed for the instrument and authorized by local country
	CD (contains EasyScope PC software)
Optional accessories	Isolated channel optional accessories
	SDS1000CNL series oscilloscope portable bag